

FAMILY INTERVENTION REFERENCES

Asmal, L., Mall, S., Emsley, R., Chiliza, B., Swartz, L. (2014). Towards a treatment model for family therapy for schizophrenia in an urban African setting: Results from a qualitative study. International Journal of Social Psychiatry, 60(4), 315-320.

Atchison, M. Partridge, J. Twiss, J. (2017). Family Involvement and Support Networks. In Mary Chambers (Ed.) Psychiatric and Mental Health Nursing: The Craft of Caring. 3rd edition. London: Hodder Arnold. pp.559-569.

Barbato, A. & D'Avanzo, B. (2000). Family Interventions in Schizophrenia and Related Disorders: A Critical Review of Clinical Trials. Acta Psychiatrica Scandanavica, 102, 81-97.

Barrowclough, C. & Tarrier, N. (1992). Families of Schizophrenic Patients: Cognitive Behavioural Intervention. London: Chapman & Hall.

Brooker, C., Saul, C., Robinson, J., King, J. & Dudley, M. (2003). Is training in psychosocial interventions worthwhile? Report of a psychosocial intervention trainee follow-up study. International Journal of Nursing Studies, 40, 731-747.

Burbach, F.R. & Stanbridge, R.I. (2006). Somerset's Family Interventions in Psychosis Service: An Update. Journal of Family Therapy, 20: 311-325.

Burbach, F.R. & Stanbridge, R.I. (2007). Developing family-inclusive mainstream mental health services. Journal of Family Therapy, 29: 21-43.

Bustillo, J. R., Lauriello, J., Horan, W.P. & Keith, S.J. (2001). The Psychological Treatment of Schizophrenia: An Update. American Journal of Psychiatry, 158(2), 163-175.

Campbell, A.S. (2004). How was it for you? Families' experiences of receiving Behavioural Family Therapy. Journal of Psychiatric and Mental Health Nursing, 11, 261-267.

Chan, S.W., Yip, B., Tso, S., Cheng, B.S., & Tam, W. (2009). Evaluation of a Psychoeducation Program for Chinese Clients with Schizophrenia and Their Family Caregivers. Patient Education Counselling, 75(1), 67-76.

Christenson, J.D., Russel Crane, D., Bell, K.M., Beer, A.R. (2014). Family intervention and health care costs for Kansas Medicaid patients with schizophrenia. Journal of Marital and Family Therapy, 40 (3), 272-286.

Christenson, J.D., Russel Crane, D., Bell, K.M., Beer, A.R. (2014). Family intervention and health care costs for Kansas Medicaid patients with schizophrenia. Journal of Marital and Family Therapy, 40 (3), 272-286.

Cohen, A.N., Drapalski, A.L., Glynn, S.M., Medoff, D., Fang, L.J. & Dixon, L.B. (2013). Preferences for family involvement in care among consumers with serious mental illness, Psychiatric Services, 64 (3) 257-263.

Cohen, A.N., Glynn, S.M., Murray-Swank, A.B., Barrio, C., Fischer, E.P., McCutcheon, S.J., Perlick, D.A., Rotondi, A.J., Sayers, S.L., Sherman, M.D. & Dixon, L.B. (2008). The family forum: Directions for the implementation of family psychoeducation for severe mental illness. Psychiatric Services, 59(1), 40-8.

Department of Health, (2002). Developing services for carers and families of people with mental illness. London:HMSO.

Conneely, P. (2016). Working with Families. In: J.Clewes & R. Kirkwood (Eds.) Diverse Roles for Occupational Therapists. Keswick: M&K Publishing. pp. 195-210.

Cook-Darzens, S., Gelin, Z. & Hnedrick, S. (2017). Evidence base for multiple family therapy (mft) in non-psychiatric conditions and problems: A review (part two). Journal of Family Therapy, DOI: 10.1111/1467-6427.12177.

Department of Health (2006). Our Health, Our Care, Our Say: A New Direction for Community Health Services. London: Department of Health.

Dixon, L., Adams, C. & Lucksted, A. (2000). Update on Family Psychoeducation for Schizophrenia. Schizophrenia Bulletin, 26(1), 5-20.

Dixon, L., Dickerson, F., Bellack, A.S., Bennett, M., Dickinson, D., Goldberg, R.W., Lehman, A., Tenhula, W.N., Calmes, C., Pasillas, R.M., Peer, J. & Kreyenbuhl, J. (2010). The 2009 Schizophrenia PORT Psychosocial Treatment Recommendations and Summary Statements. Schizophrenia Bulletin, 36(1), 48-70.

Dixon, L.B., Lucksted, A., Medoff, D.R., Burland, J., Stewart, B., Lehman, A.F., Fang, L.J., Sturm, V., Brown, C. & Murray-Swank, A. (2011). Outcomes of a Randomized Study of a Peer-Taught Family-to-Family Education Program for Mental Illness. Psychiatric Services, 62(6), 591-7.

Domingues-Martinez, T., Rascon-Gasca, M.L. & Alcantara-Chabelas, H. (2017). Effects of family-to-family psychoeducation among relatives of patients with severe mental disorders in Mexico City. Psychiatric Services, 68(4), 415-418.

Drapalski, A.L., Marshall, T., Seybolt, D., Medoff, D., Peer, J., Leith, J. & Dixon, L.B. (2008). Unmet needs of families of adults with serious mental illness and preferences regarding family services, Psychiatric Services, 59 (6), 655-662.

Fadden, G. (1997). Implementation of Family Interventions in Routine Clinical Practice: a Major Cause for Concern. Journal of Mental Health, 6, 599–612.

Fadden, G. (1998). Research Update: Psychoeducational Family Interventions. Journal of Family Therapy, 20, 293-309.

Fadden, G. (2006). Training and disseminating family interventions for schizophrenia: developing family intervention skills with multi-disciplinary groups. Journal of Family Therapy, 28, 23-38.

Fadden, G. (2009). Family Interventions and Psychosis. In H. Beinart, P.Kennedy, & S. Llewelyn (Eds.). Clinical Psychology in Practice. Oxford: Blackwell Publishing.

Fadden, G. & Smith, J. (2009). Family work in early psychosis. In: A Casebook of Family Interventions for Psychosis. (Eds. F. Lobban & C. Barrowclough), pp.23-45, Chichester: John Wiley & Sons Ltd.

Fadden, G. (2015). Family Interventions. In F.Holloway, H.Killaspey, S.Kalidindi & G.Roberts. Enabling Recovery: The Principles and Practice of Rehabilitation Psychiatry. 2nd Edition. London: Gaskell.

Falkov, A. (2013). The Family Model Handbook: An integrated approach to supporting mentally ill parents and their children. East Sussex: Pavilion Publishing and Media Ltd.

Falloon, I.R.H. (1985). Family Management of Schizophrenia, Baltimore: Johns Hopkins University Press.

Falloon, I.R.H., Boyd, J.L. & McGill, C.W. (1984). Family Care of Schizophrenia, NY: Guilford Press.

Falloon, I.R.H., Laporta, M., Fadden, G. & Graham-Hole, V. (1993). Managing Stress in Families: Cognitive and Behavioural Strategies for Enhancing Coping Skills. London: Routledge.

Falloon, I.R.H., Fadden, G., Mueser, K., Gingerich, S., Rappaport, S., McGill, C., Graham-Hole, V. & Gair, F. (2004). Family Work Manual. Birmingham: Meriden Family Programme.

Falloon, I.R.H., Held, T., Coverdale, J.H., Roncone, R. & Laidlaw, T.M. (1999). Family Interventions for Schizophrenia: A Review of Long-term Benefits of International Studies. Psychiatric Rehabilitation Skills, 3(2), 268-290.

Fiorillo, A., Del Vecchio, V., Luciano, M., Sampogna, G., De Rosa, C., Malangone, C., Volpe, U., Bardicchia, F., Ciampini, G., Crocamo, C., Iapichino, S., Lampis, D., Harvey, C. & O'Hanlon, B. (2013). Family psycho-education for people with schizophrenia and other psychotic disorders and their families. Australian and New Zealand Journal of Psychiatry, 47 (6), 516-520.

Fiorillo, A., Del Vecchio, V., Luciano, M., Sampogna, G., De Rosa, C., Malangone, C., Volpe, U., Bardicchia, F., Ciampini, G., Crocamo, C., Iapichino, S., Lampis, D., Moroni, A., Orlandi, E., Piselli, M., Pompili, E., Veltro, F., Carra, G. & Maj, M. (2015). Efficacy of psychoeducational family intervention for bipolar I disorder: A controlled, multicentric real-world study. Journal of Affective Disorders, 172, 291-299.

Fleming, M., Savage-Grainge, A.P., Martin, C.R., Hill, C., Brown, S., Buckle, J. & Miles, J.N.V. (2008). The Role of Intrinsic Factors in the Implementation of Psychosocial Interventions into Routine Clinical Practice. The Journal of Mental Health Training, Education and Practice, 3(2), 32-41.

French, P., Smith, J., Shiers, D., Reed, M. & Rayne, M. (Eds.) (2010). Promoting Recovery in Early Psychosis: A Practice Manual. Chichester: Wiley Blackwell.

Frese, F.J., Stanley, J., Kress, K., & Vogel-Scibilia, S. (2001). Integrating evidence-based practices and the recovery model. Psychiatric Services, 52, 1462-1468.

Gamble, C. (2007). Family Intervention. Psychiatry, 6(9), 367-372

Garety, P.A., Fowler, D.G., Freeman, D., Bebbington, P., Dunn, G. & Kuipers, E. (2008). Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: a randomised controlled trial. The British Journal of Psychiatry, 192, 412-423

Gelin, Z., Cook-Darzens, S. & Hendrick, S. (2017). The evidence base for multiple family therapy in psychiatric disorders: A review (part 1). Journal of Family Therapy, doi:10.1111/1467-6427.12178.

Girón, M., Fernández-Yañez, A., Mañá-Alvarenga, S., Molina-Habas, A., Nolasco, A. & Gómez-Beneyto, M. (2009). Efficacy and Effectiveness of Individual Family Intervention on Social and Clinical Functioning and Family Burden in Severe Schizophrenia: A 2-year Randomized Controlled Study. Psychological Medicine, (in press).

Glenn, S.D. (2007). Recent Developments in Psychosocial Treatments for schizophrenia Patients. Expert Review of Neurotherapeutics, 7(7), 817-827.

Glynn, S.M., Cohen, A.N., Dixon, L.B. & Niv, N. (2006). The potential impact of the recovery movement on family interventions for schizophrenia: Opportunities and obstacles. Schizophrenia Bulletin, 32(3), 451-463.

Glynn, S.M., Cohen, A.N. & Noosha, N. (2007). New Challenges in Family Interventions for Schizophrenia. Expert Review of Neurotherapeutics, 7(1), 33-43.

Guo, X, Zhai, J., Liu, Z., Fang, M. et al. (2010). Effect of Antipsychotic Medication Alone vs. Combined With Psychosocial Intervention on Outcomes of Early-Stage Schizophrenia. Archives of General Psychiatry, 67(9), 895-904

Hackman, A. & Dixon, L. (2008). Clinical News & Knowledge: Schizophrenia. Psychiatric Times , 25(3), 2.

<http://www.psychiatrictimes.com/schizophrenia/article/10168/1147641?pageNumber=2>

Harvey, C. & O'Hanlon, B. (2013). Family psycho-education for people with schizophrenia and other psychotic disorders and their families. Australian and New Zealand Journal of Psychiatry, 47 (6), 516-520.

Hogan, M. (2010). Updated Schizophrenia PORT Treatment Recommendations: A Commentary. Schizophrenia Bulletin, 36(1), 104-106.

Kelly, M. & Newstead, L. (2004). Family Intervention in routine practice: it is possible! Journal of Psychiatric and Mental Health Nursing, 11, 64-72.

Kopelowicz, A. (2016). Schizophrenia and psychotic spectrum disorders. Oxford University Press.

Kreyenbuhl, J., Buchanan, R.W., Dickerson, F.B. & Dixon, L.B. (2010). The Schizophrenia Patient Outcomes Research Team (PORT): Updated Treatment Recommendations 2009. Schizophrenia Bulletin, 36(1), 94-103.

Kuipers, E. (2000). Psychological Treatments for Psychosis: Evidence Based but Unavailable? Psychiatric Rehabilitation Skills, 4(2), 249-258.

Kuipers, E. (2007). Psychological Therapies for Schizophrenia: Family and Cognitive Interventions. Psychiatric Times, 24(2), 1-3. Available at: <http://www.psychiatrictimes.com/paranoia/article/10168/46491?pageNumber=1>. Accessed October, 2008.

Kuipers, E., Leff, J. & Lam, D. (2002). Family work for schizophrenia: a practical guide. 2nd Edition. Gaskell Press: London.

Johnson, D. L. (2007). Models of family intervention. In D. Froggatt, G.Fadden, D.L. Johnson, M. Leggatt & R.Shankar (Eds.) Families as Partners in Care: A Guidebook for Implementing Family Work. pp 10 – 21. Toronto: World Fellowship for Schizophrenia and Allied Disorders.

Lefley, H.P. (2009). Family psychoeducation for serious mental illness. Oxford: Oxford University Press.

Lefley, H.P. & Johnson, D.L. (Eds.) (2002). Family Interventions in Mental Illness: International Perspectives. Connecticut: Praeger Publishers.

Lehman, A.F., Kreyenbuhl, J., Buchanan, R.W., Dickerson, F.B., Dixon, L.B., Goldberg, R., Green-Paden, L.D., Tenhula, W.N., Boerescu, D., Tek, C., Sandson, N. (2004). The Schizophrenia Patient Outcomes Research Team (PORT): Updated Treatment Recommendations, 2003. Schizophrenia Bulletin, 30(2), 193-217.

Lester, H., Marshall, M, Jones, P., Fowler, D., Amos, T., Khan, N. & Birchwood, M. (2011). Views of young people in early intervention services for first-episode psychosis in England. Psychiatric Services, 62(8), 882-887.

Lobban, F. & Barrowclough, C. (2009). A Casebook of Family Interventions for Psychosis. Chichester: Wiley and Sons.

Ma, C.F., Chien, W.T. & Bressington, D.T. (2017). Family intervention for caregivers of people with recent-onset psychosis: A systematic review and meta-analysis. Early Intervention in Psychiatry, doi.org/10.1111/eip.12494.

Marshall, K. & Ferris, J. (2012). Utilising behavioural family therapy (BFT) to help support the system around a person with intellectual disability and complex mental health needs: A case study. Journal of Intellectual Disabilities, 16 (2), 109-118.

McFarlane, W. (2016). Family psychoeducation for severe mental illness. In: Thomas, L.S. & Jay, L. (Eds.) Handbook of family therapy. Routledge.

McFarlane, W.R. (2002). Multifamily Groups in the Treatment of Severe Psychiatric Disorders. New York: Guilford Press.

Meis, L.A., Griffin, J.M., Greer, N., Jensen, A.C., MacDonald, R., Carlyle, M., Rutks, I., Wilt, T.J. (2013). Couple and family involvement in adult mental health treatment: A systematic review. Clinical Psychology Review, 33 (2), 275-286.

Miklowitz, D.J. (2008). Bipolar Disorder: A Family-focused Treatment Approach (2nd Ed.). New York: Guilford Press.

Miklowitz, D.J. & Goldstein, M.J. (1997). Bipolar Disorder: A Family-focused Treatment Approach. New York: Guilford Press

Motlova, L., Dragomirecka, E., Spaniel, F., Goppoldova, E., Zalesky, R., Selepova, P., Figlova, Z. & Hoschl, C. (2006). Relapse prevention in schizophrenia: does group family psychoeducation matter? One-year prospective follow-up field study, International Journal of Psychiatry in Clinical Practice, 10(1), 38-44.

Moroni, A., Orlandi, E., Piselli, M., Pompili, E., Veltro, F., Carra, G. & Maj, M. (2015). Efficacy of psychoeducational family intervention for bipolar I disorder: A controlled, multicentric real-world study. Journal of Affective Disorders, 172, 291-299.

Mueser, K.T., Glynn, S.M. (1999). Behavioral Family Therapy for Psychiatric Disorders. Oakland: New Harbinger Publications, Inc.

Mueser, K.T., Glynn, S.M., Cather, C., Xie, H., Zarate, R., Smith, L., Fox, C, Robin, E., Gottlieb, J.D., Wolfe, R. & Feldman, J. (2013). A randomized controlled trial of family intervention for co-occurring substance user and severe psychiatric disorder. Schizophrenia Bulletin, 39 (3), 658-672.

National Institute of Clinical Excellence (2002). Schizophrenia: Core interventions in the treatment and management of schizophrenia in primary and secondary care. London: National Collaborating Centre for Mental Health. Available from: www.nice.org.uk

National Institute for Health and Clinical Excellence (2009) Schizophrenia: Core interventions in the treatment and management of schizophrenia in primary and

secondary care (update). London: National Institute for Health and Clinical Excellence. Available from: www.nice.org.uk

National Institute for Health and Care Excellence (2014) Psychosis and schizophrenia in adults: treatment and management. London: National Institute for Health and Care Excellence. Available from: www.nice.org.uk

Nilsen, L., Frich, J.C. & Friis, S. (2014). Patients' and family members' experiences of a psychoeducational family intervention after a first episode psychosis: A qualitative study. Issues in Mental Health Nursing, 35, 58-68.

O'Donnell, L.A., Axelson, D.A., Kowatch, R.A., Schneck, C.D., Sugar, C.A. & Miklowitz, D.J. (2017). Enhancing quality of life among adolescents with bipolar disorder: A randomised trial of two psychosocial interventions. Journal of Affective Disorders, 219, 201-208.

Onwumere, J., Bebbington, P., Kuipers, E. (2011). Family interventions in early psychosis: Specificity and effectiveness. Epidemiology and Psychiatric Sciences, 20 (2), 113-119.

Onwumere, J., Chung, A., Boddington, S., Little, A. & Kuipers, E. (2014). Older adults with psychosis: A case for family interventions. Psychosis: Psychological, Social and Integrative Approaches, 6 (2), 181-183.

Onwumere, J., Hunter, K. & Kuipers, E. (2014). Family interventions in psychosis. In P.F. Buckley. & Gaughran, F. (Eds.) Treatment – refractory schizophrenia: A clinical conundrum. Pp 195-223. Springer Books.

Onwumere, J. & Kuipers, E. (2011). Cognitive-behavioral family interventions in psychosis. In: Communication in cognitive behavioral therapy, 185-201, Springer : New York.

Pekkala, E. & Merinder, L. (2002). Psychoeducation for schizophrenia. Cochrane Database of Systematic Reviews, Issue 2. Art. No.: CD002831. DOI: 10.1002/14651858.CD002831.

Perlick, D.A., Miklowitz, D.J., Lopez, N., Chou, J., Kalvin, C., Adhziashvili, V. & Aronson, A. (2010). Family-focused treatment for caregivers of patients with bipolar disorder. Bipolar Disorders, 12, 627–637.

Pfammatter, M., Junghan, U.M. & Brenner, H.D. (2006). Efficacy of psychological therapy in schizophrenia: Conclusions from meta-analyses. Schizophrenia Bulletin, 32, S64-S80.

Pharoah, F., Mari, J., Rathbone, J. & Wong, W. (2006). Family interventions for schizophrenia. Cochrane Database of Systematic Reviews, Issue 4.

Pharoah, F., Mari J, Rathbone. & Wong W. (2010). Family Intervention for Schizophrenia, Cochrane Database of Systematic Reviews, Issue 12.

Pickett-Schenk, S.A., Lippincott, R.C., Bennett, C. & Steigman, P.J. (2008). Improving knowledge about mental illness through family-led education: The journey of hope. Psychiatric Services, 59(1), 49-56.

Pilling, S., Bebbington, P., Kuipers, E., Garety, P., Geddes, J., Orbach, G. & Morgan, C. (2002). Psychological treatments in schizophrenia: Meta-analysis of family intervention and cognitive behaviour therapy. Psychological Medicine, 32, 763-782

Pitschel-Walz, G., Leucht, S., Bäuml, J., Kissling, W. and Engel, R.R. (2001). The Effect of Family Interventions on Relapse and Rehospitalisation in Schizophrenia – a Meta-analysis. Schizophrenia Bulletin, 27, 73-92.

Rowlands, P. (2004). The NICE schizophrenia guidelines: the challenge of implementation. Advances in Psychiatric Treatment, 10, 403-412.

Rummel-Kluge, C. & Kissling, W. (2008). Psychoeducation for patients with schizophrenia and their families. Expert Review of Neurotherapeutics, 8(7), 1067-77

Rummel-Kluge, C., Pitschel-Walz, G., Bauml, J. & Kissling, W. (2006). Psychoeducation in schizophrenia – results of a survey of all psychiatric institutions in Germany, Austria, and Switzerland. Schizophrenia Bulletin, 32, 765-775.

Sellwood, W., Wittkowski, A., Tarrier, N. & Barrowclough, C. (2007). Needs-based cognitive-behavioural family intervention for patients suffering from schizophrenia: 5-year follow-up of a randomized controlled effectiveness trial. Acta Psychiatrica Scandinavica, 116(6), 447-52.

Shimodera, S., Furukawa, T.A., Mino, Y., Shimazu, K., Nishida, A., Inoue, S. (2012). Cost-effectiveness of family psychoeducation to prevent relapse in major depression: Results from a randomized controlled trial. BMC Psychiatry, 12(40), doi:10.1186/1471-244X-12-40.

Sin, J. & Norman, I. (2013). Psychoeducational interventions for family members of people with schizophrenia: A mixed-method systematic review. Journal of Clinical Psychiatry, 74 (12), 1145-1162.

Smith, G. & Velleman, R. (2002). Maintaining a family work service for psychosis service by recognising and addressing the barriers to implementation. Journal of Mental Health, 11, 471-179.

Social Care Institute for Excellence (2011). Think Child, Think Parent, Think Family: A guide to parental mental health and child welfare. London: SCIE.

Stanbridge, R.I., Burbach, F.R., Lucas, A., & Carter, K. (2003). A Study of Families' Satisfaction with a Family Interventions in Psychosis Service in Somerset. Journal of Family Therapy, 25(2), 181-204

Stanbridge, R.I. & Burbach, F.R. (2007). Developing family inclusive mainstream mental health services. Journal of Family Therapy, 29, 21-43.

The Children's Society (2013). Hidden from view: the experiences of young carers in England. The Children's Society: London.

Tomas, E.P., Hurtado G., Noguer, S., Domenech, C., Garcia, M., Lopez, N., Negro, M.C., Penades, R., Reinares M., Serrano, D., Dolz, M., Gallo, P. (2012). Effectiveness of family work interventions on schizophrenia: Evidence from a multicentre study in Catalonia. International Journal of Psychiatry, 58 (6), 587-595.

Tooher, M.J., Muralidharan, A., Medoff, D., Lucksted, A. & Dixon, L. (2016). Caregiver positive and negative appraisals: Effects of the national alliance on mental illness family-to-family intervention. Journal of Nervous and Mental Disease, 204(2), 156-159.

Weinmann, S. & Aderhold, V. (2010). Antipsychotic medication, mortality and neurodegeneration: The need for more selective use and lower doses. Psychosis, 2 (1), 50-69.

Dr Gráinne Fadden and Sana Munshi
November 2017